

## Catalogue of American Amphibians and Reptiles.

Flores Villela, O., H.M. Smith, E.A. Liner, and D. Chiszar. 2010. *Sceloporus edwardtaylori*.

***Sceloporus edwardtaylori* Smith**  
**Taylor's Spiny Lizard**

?*Sceloporus* sp.: Cope 1871:216.

*Sceloporus spinosus*: Gadow 1905:194 (part).

*Sceloporus edwardtaylori* Smith 1936:6. Type-locality, "near Ixtepec (San Gerónimo), Oaxaca, [Mexico]". Holotype, Field Museum of Natural History (FMNH) 100058, adult male, collected 22 August 1935, by E.H. Taylor and H.M. Smith.

• **CONTENT.** No subspecies are currently recognized.

• **DEFINITION.** A large (107 mm maximum SVL) species without a distinctive dorsal pattern; dorsal and lateral scales are light-hued anteriorly whereas the posterior edges and keel are dark. A dim dorsolateral light stripe is present. Ventral surfaces are white, lacking both gular and abdominal semeions. Head scales are normal except as indicated in the **Diagnosis**. There are 28–35 dorsal scale rows, and 9–13 femoral pores on each side.


• **DIAGNOSIS.** This heavy-bodied species is the sole member of its species group (Wiens and Reeder 1997), and is morphologically unique in the genus in having relatively huge supraoculars not or only partially separated from the superciliaries (in other species there are one or more rows of small scales separating the supraoculars from the superciliaries). Unusual characteristics are the absence of ventral markings in both sexes, the very large posterior superciliary, and the contact except in juveniles, of the fourth supraocular always, the third rarely, with the median head scales.

• **DESCRIPTIONS.** Detailed descriptions are given in Smith (1936, 1939) and Köhler and Heimes (2002).

• **ILLUSTRATIONS.** Color photographs appear in



**FIGURE 1.** *Sceloporus edwardtaylori* (adult female MZFC 16245) from Oaxaca, Mexico. Photograph by E.N. Smith.



**MAP.** Distribution of *Sceloporus edwardtaylori*. The circle indicates the type-locality, and dots other records.

Köhler (1994, 2000) and Köhler and Heimes (2002). Black-and-white photographs are in Smith (1939) and Werler and Smith (1952). Line drawings of the head scales are in Smith (1939). Cole (1970) illustrated the karyotype as well as providing a black-and-white photograph of representative habitat. Carpenter (1978) provided a schematic of the display-action-pattern.

• **DISTRIBUTION.** Semi-arid areas on the Pacific slopes of the Isthmus of Tehuantepec, Oaxaca, westward to the valley of the Río Tehuantepec on the Pacific versant of the state, the closest locality to the border with Chiapas is about 50 KM away.

• **FOSSIL RECORD.** None.

• **PERTINENT LITERATURE.** In addition to the references already given, the following apply as stated: **anatomy** (Larsen and Tanner 1974; Olson et al. 1986, 1987), **behavior** (Bussjaeger 1971; Carpenter 1978, 1986; Ferguson 1977; Martins 1993), **biogeography and distribution** (Bojórquez-Tapia et al. 1995; Casas Andreu 1982; Casas Andreu et al. 1996; Cope 1871; Flores-Villela 1993; Flores-Villela and Gerez 1988, 1994; Gadow 1905; García 2006; Hartweg and Oliver 1937, 1940; Köhler 2000; Köhler and Heimes 2002; Werler and Smith 1952; Wilson and McCranie 1998), **captive husbandry** (Köhler 1997), **karyology** (Cole 1970; Gilboa 1974; Hall 1973; Schwenk et al. 1982; Sites et al. 1992), **phylogeny and systematics**: (Larsen and Tanner 1975; Leaché 2010; Leaché and Mulcahy 2007; Melville and Hale 2009; Sites et al. 1992; Smith 1936, 1939; Wiens 1993, 1999, 2000; Wiens and Reeder 1995, 1997; Wiens et al. 2010), **reproduction**: Guillelte et al. 1980; Méndez-de la Cruz et al. 1998; Werler 1970). The species occurs in the following **checklists and similar compendia**: Axtell (1992), Bell et al. (2003), Capocaccia (1961), Cochran (1961), Dean (1984), Flores-Villela (1993), Flores-Villela et al. (1995), Frank and Ramus (1995), Casas-Andreu et al. (2004), Hutchins et al. (2003), Liner (1994, 2007), Liner and Casas Andreu (2008), Maldonado Koerdell (1953), Marx (1958, 1976), Sites et al. (1992), Smith

and Chiszar (1992), Smith and Smith (1976, 1993), Smith and Taylor (1950b), Smith et al. (1964), Sokolov (1988), and Taylor (1944).

• **REMARKS.** The standard English name for this species is derived from the Latin word *sartor*, meaning "tailor," from which in turn the surname Taylor has been derived. We do not use the eponym because the name *taylori* exists elsewhere in the genus (*Sceloporus occidentalis taylori*).

• **ETYMOLOGY.** The species is named for Edward H. Taylor, a renowned herpetological taxonomist and skilled collector, with cosmopolitan contributions.

• **ACKNOWLEDGMENTS.** We are grateful to the curators of the following museum collections for provision of data on this species (acronyms follow Leviton et al. 1985): AMNH, CAS, FMNH, KU, LACM, MCZ, TCWC, UAZ, UCM, UIMNH, UMMZ, USNM.

### LITERATURE CITED

- Axtell, R.W. 1992. *Sceloporus magister*. Interpretive Atlas of Texas lizards (12):1–8.
- Bell, E.L., H.M. Smith, and D. Chiszar. 2003. An annotated list of the species-group names applied to the lizard genus *Sceloporus*. Acta Zool. Mex. (n.s.) 90:103–174.
- Bojórquez-Tapia, L.A., I. Azuara, E. Ezcurra, and O. Flores-Villela. 1995. Identifying conservation priorities in Mexico through geographic information systems and modeling. Ecol. Appl. 5:215–231.
- Bussjaeger, L.J. 1971. Phylogenetic Significance of the Comparative Ethology of the *spinosus* Group of *Sceloporus* (Iguanidae). Ph.D. Diss., Univ. Oklahoma, Norman.
- Capocaccia, L. 1961. Catalogo dei tipi di rettili del Museo di Storia Naturali di Genova. Annali Mus. Civ. Stor. Nat. Genoa 72:86–111.
- Carpenter, C.C. 1978. Comparative display behavior in the genus *Sceloporus* (Iguanidae). Contrib. Biol. Geol. Milwaukee Public Mus. (18):1–71.
- . 1986. An inventory of the display-action-patterns in lizards. Smithson. Herpetol. Info. Serv. (68):1–18.
- Casas Andreu, G. 1982. Anfíbios y Reptiles de la Costa Suroeste del Estado de Jalisco, con Aspectos sobre su Ecología y Biogeografía. Ph.D. Diss., Univ. Nac. Auton. Mex., México, D.F.
- , F.R. Méndez-de la Cruz, y X. Aguilar-Miguel. 2004. Anfíbios y Reptiles, p. 375–390. In A.J. García-Mendoza, M.d. Jesús Ordóñez, y M. Briones-Salas (eds.), Biodiversidad de Oaxaca. Inst. Biol. UNAM, Fond. Oax Conserv. Nat. – WWF, México.
- , F.R. Méndez-de la Cruz, y J.L. Camarillo. 1996. Anfíbios y reptiles de Oaxaca. Lista, distribución y conservación. Acta Zool. Mexicana (n.s.) (69):1–35.
- Cochran, D.M. 1961. Type specimens of reptiles and amphibians in the U.S. National Museum. Bull. U.S. Natl. Mus. (220):xv + 291 p.
- Cole, C.J. 1970. Karyotypes and evolution of the *spinosus* group of lizards of the genus *Sceloporus*. Amer. Mus. Novitates (2431):1–47.
- Cope, E.D. 1871. Ninth contribution to the herpetology of tropical America. Proc. Acad. Nat. Sci. Philadelphia 23:200–224.
- Dean, R.H. 1984. Karyotypes, Genetics and Morphological Variation in the Lizard *Sceloporus olivaceus*. Ph.D. Diss., Texas A&M Univ., College Station.
- Ferguson, G.W. 1977. Social displays in reptiles, p. 405–554. In C. Gans and D.W. Tinkle (eds.), Biology of the Reptilia, Vol. 7, Ecology and Behaviour A. Academic Press, New York.
- Flores-Villela, O.A. 1993. Herpetofauna Mexicana: annotated list of the species of amphibians and reptiles of Mexico, recent taxonomic changes, and new species. Carnegie Mus. Nat. Hist. Spec. Publ. (17):iv + 73 p.
- and P. Gerez. 1988. Conservación en México: síntesis sobre vertebrados terrestres, vegetación y el uso del suelo. Instituto Nacional de Investigaciones Sobre Recursos Naturales, Xalapa, México.
- and —. 1994. Biodiversidad y conservación en México: vertebrados, vegetación y uso del suelo. Univ. Nac. Autón. Méx. – CONABIO, México, D.F.
- , F. Mendoza Quijano, and G. Gonzalez Porter (compl.). 1995. Recopilación de claves para la determinación de anfibios y reptiles de México. Publ. esp. Mus. Zool. (10):iv + 285 p.
- Frank, N. and E. Ramus. 1995. A Complete Guide to Scientific and Common Names of Reptiles and Amphibians of the World. N G Publ., Inc., Pottsville, Pennsylvania.
- Gadow, H.F. 1905. The distribution of Mexican amphibians and reptiles. Proc. Zool. Soc. Lond. 1905:191–245.
- García, A. 2006. Using ecological niche modelling to identify diversity hotspots for the herpetofauna of Pacific lowlands and adjacent interior valleys of Mexico. Biol. Conserv. 130:25–46.
- Gilboa, I. 1974. Karyotypes of amphibians and reptiles: a biogeographic review, p. 91–156. In H.G. Dowling (ed.), 1974 Yearbook of Herpetology. H.I.S.S., Amer. Mus. Nat. Hist, New York.
- Guillette, L.J., Jr., R.E. Jones, K.T. Fitzgerald, and H.M. Smith. 1980. Evolution of viviparity in the lizard genus *Sceloporus*. Herpetologica 36:201–215.
- Hall, W.P., III. 1973. Comparative Population Cytogenetics, Speciation, and Evolution of the Iguanid Lizard Genus *Sceloporus*. Ph.D. Diss., Harvard Univ., Cambridge, Massachusetts.
- Hartweg, N. and J.A. Oliver. 1937. A contribution to the herpetology of the Isthmus of Tehuantepec. I. The scelopori of the Pacific slope. Occas. Pap. Mus. Zool. Univ. Michigan (356):1–9.
- and —. 1940. A contribution to the herpetology of the Isthmus of Tehuantepec. IV. An annotated list of the amphibians and reptiles collected on the Pacific slope during the summer of 1936. Misc. Publ. Mus. Zool. Univ. Michigan (47):1–31.
- Hutchins, M., J.B. Murphy, and N. Schlager (eds.). 2003. Grzimek's Animal Life Encyclopedia. 2nd ed. Vol. 7. Reptiles. Gale Group, Inc., Farmington

- Hills, Michigan.
- Köhler, G. 1994. Freilandbeobachtungen an einigen Leguanen der Gattung *Sceloporus* in der Umgebung von Tehuantepec, Mexiko, sowie Bemerkungen zu deren Pflege und Zucht. *Herpetofauna* 16:21–27.
- . 1997. Incubation von Reptilieneieren. Grundlagen. Anleitung. Erfahrungen. Herpeton, Offenbach, Germany.
- . 2000. Reptilien und Amphibien Mittelamerikas, Band 1: Krokodile • Schildkröten • Echsen. Herpeton, Offenbach, Germany.
- Köhler, G. and P. Heimes. 2002. Stachelleguane: Lebensweise • Pflege • Zucht. Herpeton, Offenbach, Germany.
- Larsen, K.R. and W.W. Tanner. 1974. Numeric analysis of the lizard genus *Sceloporus* with special reference to cranial osteology. *Great Basin Nat.* 34: 1–41.
- and —. 1975. Evolution of sceloporine lizards (Iguanidae). *Great Basin Nat.* 35:1–20.
- Leaché, A.D. 2010. Species trees for spiny lizards (genus *Sceloporus*): Identifying points of concordance and conflict between nuclear and mitochondrial data. *Mol. Phylo. Evol.* 54:162–171.
- and D.G. Mulcahy. 2007. Phylogeny, divergence times and species limits of spiny lizards (*Sceloporus magister* species group) in western North American deserts and Baja California. *Mol. Ecol.* 16:5216–5233.
- Leviton, A.E., R.H. Gibbs, Jr., E. Heal, and C.E. Dawson. 1985. Standards in herpetology and ichthyology: Part I. Standard symbolic codes for institutional resource collections in herpetology and ichthyology. *Copeia* 1985:802–821.
- Liner, E.A. 1994. Scientific and common names for the amphibians and reptiles of Mexico in English and Spanish. *Nombres científicos y comunes en Inglés y Español de los anfibios y reptiles de México*. SSAR Herpetol. Circ. (23):v + 113 p.
- . 2007. A checklist of the amphibians and reptiles of México. *Occas. Pap. Mus. Nat. Sci. Louisiana St. Univ.* (80):1–60.
- and G. Casas-Andreu. 2008. Standard Spanish, English and scientific names of the amphibians and reptiles of Mexico, 2do Edic (bilingual English Spanish). *SSAR Herpetol. Circ.* (38):iv + 162 p.
- Maldonado Koerdell, M. 1953. Reptiles, p. 121–133. *In* E. Beltrán (ed.), *Vide Silvestre y Recursos Naturales a lo Largo de la Carretera Panamericana*. Inst. Mexicana de Recursos Naturales Renovables, México, D.F.
- Martins, E.P. 1993. A comparative study of the evolution of *Sceloporus* push-up displays. *Amer. Nat.* 142:994–1018.
- Marx, H. 1958. Catalogue of type specimens of reptiles and amphibians in Chicago Natural History Museum. *Fieldiana Zool.* 36:409–496.
- . 1976. Supplementary catalogue of type specimens of reptiles and amphibians in Field Museum of Natural History. *Fieldiana Zool.* 69:33–94.
- Melville, J. and J.M. Hale. 2009. Length variation in the N-terminal domain of the recombination-activating gene 1 (RAG1) across squamates. *Mol. Phylo. Evol.* 52:898–903.
- Méndez de la Cruz, F.R., M. Villagrán-Santa Cruz, and R. Andrews. 1998. Evolution of viviparity in the lizard genus *Sceloporus*. *Herpetologica* 54: 521–532.
- Olson, R.E., B. Marx, and R. Rome. 1986. Descriptive dentition morphology of lizards of Middle and North America, I. Scincidae, Teiidae, and Helodermatidae. *Bull. Maryland Herpetol. Soc.* 22:97–124.
- , —, and —. 1987. Descriptive dentition morphology of lizards of Middle and North America II: Iguanidae. *Bull. Maryland Herpetol. Soc.* 23:12–34.
- Schwenk, K., S.K. Sessions, and D.M. Peccinini Seale. 1982. Karyotypes of the basiliscine lizards *Corytophanes cristatus* and *Corytophanes hernandesii*, with comments on the relationship between chromosomal and morphological evolution in lizards. *Herpetologica* 38:493–501.
- Sites, J.W., Jr., J.W. Archie, C.J. Cole, and O. Flores Vilella. 1992. A review of phylogenetic hypotheses for lizards of the genus *Sceloporus* (Phrynosomatidae): Implications for ecological and evolutionary studies. *Bull. Amer. Mus. Nat. Hist.* (213): 1–110.
- Smith, H.M. 1936. Description of a new *Sceloporus* from southern Mexico. *Herpetologica* 1:6–8.
- . 1939. The Mexican and Central American lizards of the genus *Sceloporus*. *Zool. Ser. Field Mus. Nat. Hist.* (26):1–397.
- and D. Chiszar. 1992. *Sceloporus horridus* and *S. spinosus* (Reptilia: Sauria) are separate species. *Bull. Maryland Herpetol. Soc.* 28:44–52.
- , D.A. Langebartel, and K.L. Williams. 1964. Herpetological type-specimens in the University of Illinois Museum of Natural History. *Illinois Biol. Monogr.* (32):1–80.
- and R.B. Smith. 1976. Synopsis of the Herpetofauna of Mexico. Source Analysis and Index for Mexican Reptiles. Vol. III. John Johnson, North Bennington, Vermont.
- and —. 1993. Synopsis of the Herpetofauna of Mexico. Vol. VII. Bibliographic Addendum IV and Index, Bibliographic Addenda II–IV. Univ. Press of Colorado, Niwot, Colorado.
- and E.H. Taylor. 1950a. Type localities of Mexican reptiles and amphibians. *Univ. Kansas Sci. Bull.* 33:313–380.
- and —. 1950b. An annotated checklist and key to the reptiles of Mexico exclusive of the snakes. *Bull. U.S. Natl. Mus.* (199):v + 253 p.
- Sokolov, V.E. (ed.). 1988. Dictionary of Animal Names in Five Languages. Amphibians and Reptiles. Russky Yazyk Publ., Moscow.
- Taylor, E.H. 1944. Present location of certain herpetological and other types specimens. *Univ. Kansas Sci. Bull.* 30:117–187.
- Werler, J.E. 1970. Notes on young and eggs of captive reptiles. *Intl. Zoo Yrbk.* 10:105–116.
- and H.M. Smith. 1952. Notes on a collection of amphibians and reptiles from Mexico, 1951–1952. *Texas J. Sci.* 4:551–573.

- Wiens, J.J. 1993. Phylogenetic relationships of phrynosomatid lizards and monophyly of the *Sceloporus* group. *Copeia* 1993:287–299.
- . 1999. Phylogenetic evidence for multiple losses of a sexually selected character in phrynosomatid lizards. *Proc. R. Soc. Lond. B* 266:1529–1535.
- . 2000. Decoupled evolution of display morphology and display behaviour in phrynosomatid lizards. *Biol. J. Linn. Soc.* 70:597–612.
- , C.A. Kuczynski, S. Arif, and T.W. Reeder. 2010. Phylogenetic relationships of phrynosomatid lizards based on nuclear and mitochondrial data, and a revised phylogeny for *Sceloporus*. *Mol. Phylo. Evol.* 54:150–161.
- and T.W. Reeder. 1995. Combining data sets with different numbers of taxa for phylogenetic analysis. *Syst. Biol.* 44:548–558.
- and –. 1997. Phylogeny of the spiny lizards (*Sceloporus*) based on molecular and morphological evidence. *Herpetol. Monogr.* (11):1–101.
- Wilson, L.D. and J.R. McCranie. 1998. The biogeography of the herpetofauna of the subhumid forests of Middle America (Isthmus of Tehuantepec to northwestern Costa Rica). *Contrib. Royal Ontario Mus. Life Sci.* (103):1–50.

---

**Oscar Flores Vilella**, Museo de Zoología, Facultad de Ciencias, UNAM, A.P. 70–399, México, D.F., 04510 México (ofv@hp.fciencias.unam.mx); **Hobart M. Smith**, Department of EPO Biology, University of Colorado, Boulder, CO 80309–0334 (hsmith@colorado.edu); **Ernest A. Liner**, 310 Malibou Boulevard, Houma, LA 70364–2598 (eliner@mobiletel.com); **David Chiszar**, Department of Psychology, University of Colorado, Boulder, CO 80309–0345 (chiszar@clipr.colorado.edu).

Primary editor for this account, Andrew H. Price.

Published 15 January 2010 and Copyright © 2010 by the Society for the Study of Amphibians and Reptiles.

---